

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

AJ

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : C05F 5/00, 17/00, C05C 9/00, C05F 11/00	A1	(11) International Publication Number: WO 00/15583 (43) International Publication Date: 23 March 2000 (23.03.00)
(21) International Application Number: PCT/GR99/00034 (22) International Filing Date: 10 September 1999 (10.09.99) (30) Priority Data: 980100343 16 September 1998 (16.09.98) GR (71)(72) Applicant and Inventor: NINOLAKIS, Markos [GR/GR]; 2 Salteli Str., GR-111 41 Athens (GR).		(81) Designated States: AL, AU, CN, CR, ID, IL, IN, JP, MX, TR, US, ZA, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: SOIL IMPROVING BIOHUMIC FERTILIZER FROM OLIVE KERNEL (57) Abstract Production Methods of soil-improving biohumic fertilizer with aerobic biological compost treatment, humification of olive kernel selfsame or treated with agricultural rejects. Production Methods of soil-improving biohumic fertilizer from olive kernel with compost treatment, humification, selfsame or treated with agricultural rejects. My invention refers for the first time in the use of olive kernel for producing other than seed oil and kernel with controllable moisture and temperature values during composting and controllable humification using bags to avoid loss of humidity. The method was applied in selfsame olive kernel as well as composted with agricultural rejects. The results were proven to be very encouraging concerning the quality of the produced soil improving biohumic fertilizer.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

Soil improving biohumic fertilizer from olive kernel**TECHNICAL FIELD OF THE INVENTION**

5 My invention refers to materials and production method of stabilized soil-improving biohumic fertilizer with aerobic biological compost treatment, humifying, olive kernel selfsame or treated with agricultural rejects.

CURRENT TECHNICAL LEVEL OF PRODUCTION METHODS-SURVEY

10 In the olive oil production industry during the squash of the olives, olive kernel is produced which is the raw material for producing seed-oil and kernel residuals.

15 This process which is performed by seed-oil refineries produces toxic gases which pollute significantly the environment

20 The necessity of the olive oil refineries to reduce the volume of their liquid wastes, drives them to use a two-phased olive squashing method, which of course reduces significantly the volume of the liquid wastes but on the other hand renders the olive kernel unprofitable to seed-oil refineries because it reduces the concision of olive oil of the olive kernel to 2% from the usual 5-7%.

25 My invention solves this problem by transforming the olive kernel into soil improving biohumic fertilizer which can be used in the agricultural industry with improved method composting – humification.

30 The composting – humification of solid organics is an aerobic biological treatment of decomposed organic matter which is performed by microorganisms when suitable conditions occur. This process follows mainly two stages. Composting which is thermophilic and humification which is mesophilic or psychrophilic.

35 The major factors which influence the process of composting is the ratio C/N/P (Carbon / Nitrogen / Phosphorus), the porosity, the humidity, the ventilation, the PH and the temperature whilst humification is influenced by the chemical texture of the organic underlays which take place in the process.

40 In the first stage (composting) temperature rises up to 60-65 C due to the reaction of colonies of bacteria onto easily decomposable combinations such as sugar, proteins and fat.

45 The rise of the temperature contributes to the pasteurizing of the compost, the removal of all harmful microorganisms and the biodegradation of toxic combinations such as chloride organic and phenolic ones.

EXAMPLE 1

Inside a bioreactor I placed 900 kg olive kernel, 80 kg grinded leaves and small branches (of olive tree) measured up to 1 mm thick, 20 kg urea, settling the humidity, by adding chlorine free water to 36%.

- 5 The bioreactor is an inclined rotating cylinder with inner fins and measurement instruments of temperature and humidity. The top is open.

The above mentioned mixture was homogenized by rotating the bioreactor with a rate of 10 revolutions per minute for a period of 10 minutes.

- 10 Then I left it still in order to start the exotherm bioreactions.

Within 20 hours the temperature had risen up to 65 °C. Every 12 hours for the first 72 hours humidity was measured and checked in order to be maintained to 36%, ($\pm 2\%$), and rotated the bioreactor for 3 minutes every hour with a rate of 2 revolutions per minute, to prevent lack of oxygen into the compost which is vital

- 15 to the bioreactions.

Within 5 days composting was complete and the product was placed into 40 lt PE plastic bags with humidity 32% not sealed in favorable conditions for humification. In 40 days the material was completely humified. The final product of the humification is a stabilized soil improving organic humic fertilizer

- 20 completely deprived from phenols combinations which are included in olive kernel.

EXAMPLE 2

Mixing 1820-kg olive kernel, 140-kg grinded leaves and small branches (olive tree), 40 kg urea, into the bioreactor rotated the mixture for 15 minutes to completely homogenize the compost and placed it in a pulp 3 meters long, 1,5 wide and 0,80 high in environmental conditions. During the whole process of composting humidity was 36% ($\pm 2\%$) and this was accomplished by adding chlorine free water daily.

- 30 In 30 hours there was a rise of temperature which was stabilized to 60-65 °C for 6 days. After that temperature started to fall and when it reached 55 °C there was a stirring of the compost with a mechanical way in order to be ventilized. Within 18 hours temperature increased again to 60-65 °C for 6 days and eventually fell to 55 °C where a further stirring took place.

- 35 After 6 days stirring for ventilation took place again but the temperature of the mixture had dropped down to 45 °C

The maximum value of temperature after the last ventilation never exceeded 50 °C

- 40 The composted material stayed in environmental conditions for 2,5 months for humification. The final product was equivalent with that of Example 1.

CLAIMS

1. Production method of soil-improving biohumic fertilizer with aerobic biological compost treatment, humification, olive kernel selfsame or treated with agricultural rejects.
5
2. Production method composting humifying as stated above using the following materials
85-95% weight olive kernel
3-13% weight grinded leaves and small branches of olive tree
10 2% weight urea
3. Production method composting as stated in (1) and (2) during which the stabilization of moisture to 32-40% and of temperature to 60-65 °C completes the process in 6 days.
15
4. Production method humification as stated in (1) during which the composted material matures into bags with humidity 23-32% for 6 weeks.
5. Production method composting humifying as stated in (1) where the olive
20 kernel is above 10% of the total weight of the compost.

INTERNATIONAL SEARCH REPORT

Inter national Application No

PCT/GR 99/00034

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C05F5/00 C05F17/00 C05C9/00 C05F11/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C05F C05C

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	FR 1 526 020 A (GIACINTO GIALLOMBARDO ET AL.) 18 September 1968 (1968-09-18) the whole document	1, 3, 4
A	-----	2, 5
X	EP 0 718 397 A (TRATAMIENTO INTEGRAL DE ALPECH) 26 June 1996 (1996-06-26) claims column 4, line 16 - line 27 column 4, line 54 - column 5, line 30 column 6, line 3 - line 25 ----- -/--	1

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

20 December 1999

Date of mailing of the international search report

14/01/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

RODRIGUEZ FONTAO, M

INTERNATIONAL SEARCH REPORT

International Application No

PCT/GR 99/00034

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>DATABASE WPI Section Ch, Week 198927 Derwent Publications Ltd., London, GB; Class C04, AN 1989-194747 XP002123531 & ES 2 002 555 A (SANCHEZ MORAL P), 16 August 1988 (1988-08-16) abstract</p> <p>----</p>	1
X	<p>DATABASE WPI Section Ch, Week 199231 Derwent Publications Ltd., London, GB; Class D16, AN 1992-251904 XP002123532 & ES 2 028 497 A (DORSCH SERRANO F), 1 July 1992 (1992-07-01) abstract</p> <p>-----</p>	1,3,4
A		2,5

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/GR 99/00034

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
FR 1526020 A	18-09-1968	NONE	
EP 0718397 A	26-06-1996	ES 2084564 A	01-05-1996
ES 2002555 A	16-08-1988	NONE	
ES 2028497 A	01-07-1992	NONE	